




UpOnly Learning



GRADE 8

FREE SAMPLE WORKBOOK

Math Grade 8

One step at a time. · Ages 13–14 · Free sample: 1 of 8 topics

UO-MATH-8

One step at a time

I'm Dr. Evan J. Hasson. I've run a specific chiropractic practice for over twelve years, and I'm a dad of three. My work is about alignment: get the structure right, and everything else works better.

At home, nothing was aligned. I was spending thousands a month on tutors, extracurriculars and programs, and when I asked about enrolling a second or third child the answer was always the same: that'll be double, that'll be triple. The charter school had a waiting list. The good public school had a waiting list. The private schools had the kind of list where it helps to know someone, or to give generously first.

And underneath all of it, the same quiet threat: if you don't pay for this, your child will fall behind. Not sold with evidence. Sold with fear.

So I did my own research, and here is what I found: none of it is secret. The standards are published. The order a child should learn in is written down and freely available. It is just scattered. Nobody had done the work of pulling it together, putting it in order and handing it over. So I did.

When every step has its place, confusion has nowhere to hide.

I built this for my own kids. I'm giving it to yours.

Dr. Evan J. Hasson, DC

Founder and dad of three

Copyright, license and disclaimers

Copyright. © 2026 UpOnly Learning, LLC. All rights reserved. UpOnly Learning™ and the step logo are trademarks of UpOnly Learning, LLC.

Free sample. This free sample may be printed and shared freely, as long as it is shared whole and unchanged, with this notice and the UpOnly Learning name. It may not be sold.

Not a school. UpOnly Learning is a private educational publisher, not a school, and is not affiliated with or endorsed by the US Department of Education, any state board of education or school district. This workbook does not award grades or credits and does not replace any curriculum your state requires. You are responsible for meeting your local homeschool laws.

Standards. Topics are aligned to academic standards in our own interpretation; the owners of those standards do not review or endorse this workbook. Common Core State Standards © Copyright 2010. National Governors Association Center for Best Practices and Council of Chief State School Officers. All rights reserved.

No guaranteed results, and mistakes happen. Every student learns differently. We write and review every question and answer key carefully, and we still get things wrong — an answer key can be wrong, and a question can be worded badly or have two defensible answers. Check the answer key before you hand it over, and trust your own judgement over ours. Found a problem? **Photograph the page and email it to support@uponlearning.com** — the picture tells us more than a description, and we fix it for every family.

Safety. Some activities use household items such as scissors, coins or food. An adult should supervise and skip anything unsafe for the student.

Not professional advice. This workbook does not replace an evaluation by a qualified educator or specialist. The founder is a Doctor of Chiropractic; UpOnly Learning does not provide medical or health advice.

Full terms: uponlearning.com/legal

How to use this workbook

Each topic follows the same steps, so your student always knows what comes next.

1. ① **Quick Check.** 10 questions before you teach. Read them aloud for younger students. A high score means you can move faster.
2. ② **Learn It.** Key words, step-by-step teaching with lines you can read aloud, worked examples and the mistakes to watch for.
3. ③ **We Do It Together.** 10 questions you do side by side. The answer and the "why" are printed right after each question, so you can talk it through.
4. ④ **You Try.** 10 questions your student does alone.

Answers with short explanations for every question are in the **Answer Key** at the end of each topic, so students can work without peeking. Go over each wrong answer together using the explanation.

This workbook is printed in full color. To save ink, choose "Black and white" or "Grayscale" in your printer settings; every page still works in black and white.

Want online checks that score themselves and track each student's progress? Visit uponlylearning.com.



How to use this Math book in Grade 8

Pace

Plan on 1 to 2 weeks for each of the 8 topics, about 8 to 16 weeks for the book, in 2 to 4 sessions a week.

A typical session

A 40 to 45 minute session runs Quick Check, Learn It, We Do It Together, and a block of You Try questions, with Show What You Know saved for its own day at the end of the topic.

Tips for this book

- Keep graph paper and two colored pencils nearby for Slope and linear equations, Systems of equations, Functions, and Scatter plots.
- Systems of equations and Functions are the hardest topics; graph each equation first so your student can see where the lines meet.
- For Pythagorean theorem, have your student measure a real right triangle, such as a shoebox corner, and check that $a^2 + b^2 = c^2$.
- Encourage your student to check their own work with the answer key and write down the step where any mistake began.

Your eighth grader is building the algebra and geometry that high school depends on, and your steady support helps them stick with hard problems.

GRADE 8

CONTENTS · UO-MATH-8



Math: Grade 8

Free Sample Workbook · Ages 13–14 · 1 of 8 topics, with a Quick Check, a lesson, We Do It Together, You Try and an answer key

Our story	2
Copyright, license and disclaimers	3
How to use this workbook	4
Topic 1 · Irrational numbers	7
<i>Rational approximations; square roots on a number line 8 . NS</i>	
Quick Check 7 · Learn It 8 · We Do It Together 10 · You Try 12 · Answer Key 13	



Irrational numbers

The student will tell rational from irrational numbers, convert repeating decimals into fractions, and estimate irrational numbers such as $\sqrt{2}$ and π to locate and compare them on a number line.

① Quick Check

Do this before the lesson. It shows what your student already knows. Score: ____ / 10

1. What describes an irrational number's decimal?

- A** It never ends and never repeats. **B** It repeats a block of digits. **C** It ends after a few digits.

2. Write 0.555... as a fraction.

- A** 55/100 **B** 5/10 **C** 5/9 **D** 5/100

3. Which number is irrational?

- A** $1/3$ **B** $\sqrt{2}$ **C** 0.25 **D** $\sqrt{16}$

4. Which of these is irrational?

- A** $\sqrt{25}$ **B** $\sqrt{36}$ **C** $\sqrt{20}$

5. Estimate $\sqrt{20}$ to the nearest tenth.

- A** 4.2 **B** 4.4 **C** 4.5

6. Write 0.999... as a fraction.

- A** 1 **B** 10/9 **C** 99/100 **D** 9/10

7. Between which two tenths is $\sqrt{2}$?

- A** 1.4 and 1.5 **B** 1.5 and 1.6 **C** 1.3 and 1.4

8. Between which two consecutive whole numbers is $\sqrt{150}$?

- A** 13 and 14 **B** 11 and 12 **C** 12 and 13

9. What is $0.1212... + 0.2121...$ as a fraction in simplest form?

- A** $1/33$ **B** $1/3$ **C** $3/10$ **D** $33/100$

10. Write $5/11$ as a decimal.

- A** 0.5 **B** 0.0545 **C** 0.4545... **D** 0.45

② Learn It

Key words

- **rational number:** A number that can be written as a fraction of two integers, like $\frac{3}{4}$, -5 or 0.333...
- **irrational number:** A number that cannot be written as a fraction of two integers. Its decimal goes on forever without repeating, like $\sqrt{2}$ or pi.
- **terminating decimal:** A decimal that ends, like 0.25.
- **repeating decimal:** A decimal where a block of digits repeats forever, like 0.272727...
- **perfect square:** A number that is a whole number times itself, like 1, 4, 9, 16, 25.
- **square root:** A number that, multiplied by itself, gives the original number. $\sqrt{49} = 7$ because $7 \times 7 = 49$.

Warm-up

1. Have the student list the perfect squares from 1×1 to 12×12 (1, 4, 9, 16, 25, 36, 49, 64, 81, 100, 121, 144).
2. Ask: What number times itself is 2? Have them guess and check on paper: $1 \times 1 = 1$ is too small, $2 \times 2 = 4$ is too big. So it is between 1 and 2.
3. Let them try $1.4 \times 1.4 = 1.96$ and $1.5 \times 1.5 = 2.25$. It is between 1.4 and 1.5.

Some numbers are so stubborn that you can never write them exactly as a fraction or a decimal that stops or repeats. Today we meet them and learn to pin them down.

Teach

1. Review: every fraction becomes a decimal that either ends ($\frac{1}{4} = 0.25$) or repeats ($\frac{1}{3} = 0.333...$). These are rational numbers.
2. Show converting a repeating decimal to a fraction. Let $x = 0.777...$ Then $10x = 7.777...$ Subtract: $10x - x = 7.777... - 0.777...$, so $9x = 7$ and $x = \frac{7}{9}$.
3. For two repeating digits, multiply by 100: $x = 0.363636...$, $100x = 36.3636...$, so $99x = 36$ and $x = \frac{36}{99} = \frac{4}{11}$.
4. Introduce irrational numbers: decimals that never end and never repeat. Examples: $\sqrt{2} = 1.41421356...$, $\pi = 3.14159265...$ The square root of any whole number that is not a perfect square is irrational.
5. Estimate $\sqrt{50}$: $49 < 50 < 64$, so $7 < \sqrt{50} < 8$. Since 50 is very close to 49, $\sqrt{50}$ is just a little more than 7. Try $7.1 \times 7.1 = 50.41$, too big, so $\sqrt{50}$ is between 7.0 and 7.1, about 7.07.
6. Locate on a number line: draw from 0 to 4 and mark $\sqrt{2}$ a bit less than 1.5, π a bit more than 3, and $\sqrt{10}$ a bit more than π (3.16 versus 3.14).
7. Show that we use approximations to compare and estimate expressions, like π^2 is about 3.14×3.14 , which is about 9.86, a bit less than 10.

Every number has a spot on the number line, even the ones whose decimals never end. Squeezing them between perfect squares tells us exactly where to look.

Guided practice

1. Have the student sort these into rational and irrational: 0.5, $\sqrt{16}$, $\sqrt{7}$, $\frac{2}{3}$, π , 0.121212..., -9, $\sqrt{20}$.

2. Convert 0.555... into a fraction together using the 10x method. (5/9)
3. Estimate $\sqrt{20}$ to the nearest tenth together: $16 < 20 < 25$, so between 4 and 5. Try $4.4 \times 4.4 = 19.36$ and $4.5 \times 4.5 = 20.25$. 20 is closer to 20.25, so about 4.5.
4. Have the student place $\sqrt{20}$, 4.4 and $4\frac{2}{3}$ on a number line in order.
5. Work through the two worked examples together.

Guess, square it, adjust. That three-step loop gets you closer and closer to any square root.

Worked examples

Write 0.232323... as a fraction.

Let $x = 0.232323\ldots$ Two digits repeat, so multiply by 100: $100x = 23.2323\ldots$ Subtract: $99x = 23$, so $x = \frac{23}{99}$.

Order from least to greatest: $\sqrt{10}$, pi, 3.2.

$\sqrt{10}$ is between 3 and 4. $3.1 \times 3.1 = 9.61$ and $3.2 \times 3.2 = 10.24$, so $\sqrt{10}$ is between 3.1 and 3.2. Try $3.16 \times 3.16 = 9.9856$, just under 10, so $\sqrt{10}$ is a little more than 3.16. Pi is about 3.14, which is smaller. Order: pi, $\sqrt{10}$, 3.2.

Watch for these mistakes

Mistake: Every square root is irrational, so $\sqrt{36}$ is irrational.

Fix: $\sqrt{36} = 6$ exactly, because $6 \times 6 = 36$. Only square roots of numbers that are not perfect squares are irrational. Have the student check the perfect squares list first.

Mistake: Pi is exactly 3.14, or exactly $\frac{22}{7}$.

Fix: Both are approximations. Pi's decimal goes on forever without repeating (3.14159265...), so it cannot equal any fraction. 3.14 and $\frac{22}{7}$ are handy estimates for calculating.

③ We Do It Together: 10 questions

Do these side by side. Read each question together, let your student answer, then read the answer and the "why" right below it and talk it through.

1. Is π rational or irrational?

A irrational **B** rational, because it equals 3.14 **C** rational, because it equals $22/7$ **D** rational

Answer: **A** irrational

Why: Its decimal goes on forever without repeating; $22/7$ and 3.14 are only approximations.

2. Is $1/4 = 0.25$ rational?

A No, only repeating decimals are rational **B** Yes, the decimal ends **C** No, it is too short

Answer: **B** Yes, the decimal ends

Why: A fraction of integers is rational, and its decimal ends or repeats.

3. Between which two consecutive whole numbers is $\sqrt{50}$?

A 6 and 7 **B** 7 and 8 **C** 8 and 9

Answer: **B** 7 and 8

Why: $49 < 50 < 64$, and $\sqrt{49} = 7$, $\sqrt{64} = 8$.

4. Between which two consecutive whole numbers is $\sqrt{10}$?

A 3 and 4 **B** 4 and 5 **C** 2 and 3

Answer: **A** 3 and 4

Why: $9 < 10 < 16$, so $3 < \sqrt{10} < 4$.

5. Which is greater, π or $22/7$?

A They are equal **B** π **C** $22/7$ **D** Cannot tell

Answer: **C** $22/7$

Why: $22/7 = 3.1428\dots$, which is slightly more than $\pi = 3.1415\dots$

6. Which number is rational?

A $\sqrt{0.25}$ **B** $\sqrt{2}$ **C** $\sqrt{3}$

Answer: **A** $\sqrt{0.25}$

Why: $\sqrt{0.25} = 0.5 = 1/2$.

7. Which number is between 3 and 4?

- A $\sqrt{5}$ B $\sqrt{17}$ C $\sqrt{20}$ D $\sqrt{10}$

Answer: D $\sqrt{10}$

Why: $9 < 10 < 16$. $\sqrt{5}$ is below 3 and $\sqrt{17}$ and $\sqrt{20}$ are above 4.

8. Which lists π , $\sqrt{10}$ and 3.2 from least to greatest?

- A 3.2, $\sqrt{10}$, π B $\sqrt{10}$, π , 3.2 C π , $\sqrt{10}$, 3.2 D π , 3.2, $\sqrt{10}$

Answer: C π , $\sqrt{10}$, 3.2

Why: $\pi \approx 3.1416$, $\sqrt{10} \approx 3.1623$ and 3.2 is greatest.

9. What is $\sqrt{2} \times \sqrt{2}$?

- A 1.41 B 1.96 C 2 D 4

Answer: C 2

Why: $\sqrt{2}$ is the number whose square is 2, so $\sqrt{2} \times \sqrt{2} = 2$ exactly. The 1.96 comes from the rounded value 1.4.

10. Which lists 2.6, $\sqrt{7}$ and $8/3$ from least to greatest?

- A $8/3$, $\sqrt{7}$, 2.6 B $\sqrt{7}$, 2.6, $8/3$ C 2.6, $\sqrt{7}$, $8/3$

Answer: C 2.6, $\sqrt{7}$, $8/3$

Why: $\sqrt{7} \approx 2.646$ and $8/3 \approx 2.667$.

④ You Try: 10 questions

Now your student works alone. Check answers in the Answer Key at the end of this topic. Score: ____ / 10

- Which is the best estimate of π for quick calculations?
A 3.0 **B** 3.04 **C** 3.14 **D** 3.41
- Between which two consecutive whole numbers is $\sqrt{2}$?
A 0 and 1 **B** 2 and 3 **C** 1 and 4 **D** 1 and 2
- What is $\sqrt{2}$ rounded to the nearest tenth?
A 1.2 **B** 1.4 **C** 1.5 **D** 2.0
- Write 0.121212... as a fraction in simplest form.
A $\frac{1}{33}$ **B** $\frac{1}{8}$ **C** $\frac{4}{33}$ **D** $\frac{12}{100}$
- Which whole number is π^2 closest to?
A 3 **B** 6 **C** 10 **D** 11
- Write 0.888... as a fraction.
A $\frac{88}{100}$ **B** $\frac{8}{99}$ **C** $\frac{8}{10}$ **D** $\frac{8}{9}$
- A number that can be written as a fraction of two integers (denominator not 0) is called what?
A rational **B** irrational **C** a whole number **D** a perfect square
- A student writes $0.777... = \frac{7}{10}$. What is the mistake?
A Nothing; both are 0.7. **B** It should be $\frac{77}{100}$. **C** $\frac{7}{10} = 0.7$ ends; the repeating decimal is $\frac{7}{9}$.
D It should be $\frac{7}{99}$.
- A circle has a radius of 1. Is its circumference, 2π , rational?
A Yes, it is about 6.28 **B** No, it is irrational **C** Yes, it is exactly 6.28
- Is π^2 greater than 10 or less than 10?
A exactly 10 **B** greater, about 10.4 **C** less, about 9.87

Irrational numbers: Answers and explanations

① Quick Check

1. What describes an irrational number's decimal?

A It never ends and never repeats.

Terminating and repeating decimals are rational.

2. Write 0.555... as a fraction.

C $\frac{5}{9}$

Let $x = 0.555\dots$. Then $9x = 5$, so $x = \frac{5}{9}$.

3. Which number is irrational?

B $\sqrt{2}$

$\sqrt{2}$ is a decimal that never ends and never repeats. $\sqrt{16} = 4$ and $\frac{1}{3}$ repeats.

4. Which of these is irrational?

C $\sqrt{20}$

25 and 36 are perfect squares, so $\sqrt{25} = 5$ and $\sqrt{36} = 6$ are rational. 20 is not a perfect square, so $\sqrt{20}$ is irrational.

5. Estimate $\sqrt{20}$ to the nearest tenth.

C 4.5

$4.4 \times 4.4 = 19.36$ and $4.5 \times 4.5 = 20.25$. 20 is closer to 20.25, and $\sqrt{20} = 4.47$.

6. Write 0.999... as a fraction.

A 1

$9x = 9$, so $x = 1$. It is the same value as 1.

7. Between which two tenths is $\sqrt{2}$?

A 1.4 and 1.5

$1.4^2 = 1.96$ and $1.5^2 = 2.25$, and 2 lies between.

8. Between which two consecutive whole numbers is $\sqrt{150}$?

C 12 and 13

$144 < 150 < 169$.

9. What is $0.1212\dots + 0.2121\dots$ as a fraction in simplest form?

B $\frac{1}{3}$

$\frac{12}{99} + \frac{21}{99} = \frac{33}{99} = \frac{1}{3}$.

10. Write $\frac{5}{11}$ as a decimal.

C 0.4545...

$5 \div 11$ repeats the block 45. 0.45 ends, so it is not equal.

④ You Try

1. Which is the best estimate of π for quick calculations?

C 3.14

$\pi \approx 3.14159\dots$, so 3.14 is a handy approximation.

2. Between which two consecutive whole numbers is $\sqrt{2}$?

D 1 and 2

$1 < 2 < 4$, so $1 < \sqrt{2} < 2$.

3. What is $\sqrt{2}$ rounded to the nearest tenth?

B 1.4

$1.4 \times 1.4 = 1.96$, which is close to 2. $\sqrt{2} = 1.41421\dots$

4. Write 0.121212... as a fraction in simplest form.

C $\frac{4}{33}$

$100x - x = 12$, so $x = \frac{12}{99} = \frac{4}{33}$.

5. Which whole number is π^2 closest to?

C 10

3.14×3.14 is about 9.86, and the nearest whole number is 10.

6. Write 0.888... as a fraction.

D $\frac{8}{9}$

$9x = 8$, so $x = \frac{8}{9}$.

7. A number that can be written as a fraction of two integers (denominator not 0) is called what?

A rational

That is the definition of a rational number.

8. A student writes $0.777\dots = \frac{7}{10}$. What is the mistake?

C $\frac{7}{10} = 0.7$ ends; the repeating decimal is $\frac{7}{9}$.

Let $x = 0.777\dots$: $10x - x = 7$, so $x = \frac{7}{9}$.

9. A circle has a radius of 1. Is its circumference, 2π , rational?

B No, it is irrational

Twice an irrational number is still irrational; 6.28 is only an approximation.

10. Is π^2 greater than 10 or less than 10?

C less, about 9.87

π is less than 3.15, and $3.15 \times 3.15 = 9.9225$, so π^2 is less than 10. It is about 9.87.

Keep going with the full Math workbook

You just tried one topic. The full Grade 8 workbook has every topic below, each with a Quick Check, a lesson, We Do It Together, up to 90 You Try questions, Show What You Know and a full answer key.

- | | |
|--------------------------------------|--------|
| 1. Irrational numbers | 8.NS |
| 2. Exponents and scientific notation | 8.EE.A |
| 3. Slope and linear equations | 8.EE.B |
| 4. Systems of equations | 8.EE.C |
| 5. Functions | 8.F |
| 6. Transformations | 8.G.A |
| 7. Pythagorean theorem | 8.G.B |
| 8. Scatter plots | 8.SP |

Get it, plus online lessons with self-scoring checks and progress tracking, at **uponllearning.com**.

More from UpOnly Learning

Lessons, practice and books for every subject.



Membership

On-screen lessons, practice, Quick Checks and progress reports in every subject, for the whole household, in several languages, with rewards for practice.



Practice workbooks

Printable workbooks across every subject, ready to print at home, with the answers explained.



Summer preparation books

“Prepare for next grade” books that help students start each new school year with confidence.



Digital flashcards

Tap-to-flip cards with audio in several languages, plus printable versions.



Free resources

Free lessons, samples and guides for students, parents, teachers, tutors and homeschool families.



“Every student deserves what I want for my own kids: clear lessons, one step at a time.”

— Dr. Evan J. Hasson, founder

Visit

uponlearning.com

Scan to see everything we offer





UpOnly Learning

Your next step starts here

Free workbooks, practice sheets and parent guides, plus printable books for every grade we cover, in English, Spanish and Portuguese. We keep adding new grades and subjects, so see what's new on our website.

Visit uponllearning.com



Scan with your phone's camera

Help us make this better

We are constantly updating our material so it keeps getting better. If you spot a mistake, photograph the page and email it to support@uponllearning.com. We read every message.

One step at a time.

UO-MATH-8 · © 2026 UpOnly Learning, LLC. Free sample · free to print and share.